

PHASE TRANSITIONS AND CRITICAL PHENOMENA IN CONDENSED MATTER SYSTEMS

Pradeep R. Mishra, Abhishek Tiwari

Department of Civil Engineering, Amity University, Noida, Uttar Pradesh, India

Abstract

Received: 15/03/2025

Revised: 30/04/2025

Accepted: 01/06/2025

DOI:

[10.12060/jet-ep-v28.i1-4](https://doi.org/10.12060/jet-ep-v28.i1-4)

Funding:

This research received no specific grant from any funding agency in the public, commercial, or not-for-profit sectors.

Copyright: © 2025 The Author(s). This work is licensed under a Creative Commons Attribution 4.0 International License.

With the license CC-BY, authors retain the copyright, allowing anyone to download, reuse, re-print, modify, distribute, and/or copy their contribution. The work must be properly attributed to its author.

Phase transitions and critical phenomena are fundamental concepts in condensed matter physics, describing abrupt changes in the macroscopic properties of materials driven by variations in temperature, pressure, magnetic field, or other external parameters. Near critical points, systems exhibit universal behavior characterized by diverging correlation lengths and scale invariance. This paper provides a comprehensive overview of classical and quantum phase transitions, critical phenomena, theoretical models, experimental observations, and engineering relevance. The role of universality, renormalization group theory, and modern applications in materials science and technology are discussed.

Keywords: Phase transitions, critical phenomena, universality, renormalization group, condensed matter physics.

1. INTRODUCTION

Phase transitions are ubiquitous in nature, ranging from the freezing of water to magnetic ordering in solids. In condensed matter physics, understanding phase transitions is essential for explaining material properties such as conductivity, magnetism, and superconductivity. Critical phenomena associated with continuous phase transitions reveal striking universal behavior, independent of microscopic details (Stanley, 1971).

From an engineering perspective, phase transitions govern the performance of functional materials such as ferroelectrics, shape-memory alloys, and phase-change memory devices. This paper reviews the theoretical foundations and experimental aspects of phase transitions and critical phenomena.

2. CLASSIFICATION OF PHASE TRANSITIONS

2.1. First-Order Phase Transitions

First-order phase transitions involve discontinuous changes in thermodynamic quantities such as entropy or volume. Examples include melting, boiling, and structural phase transitions. These transitions are typically associated with latent heat and phase coexistence.

2.2. Second-Order (Continuous) Phase Transitions

Second-order transitions exhibit continuous changes in order parameters but discontinuities in their derivatives. Near the critical temperature, fluctuations dominate system behavior, leading to diverging susceptibility and correlation length.

3. ORDER PARAMETERS AND SYMMETRY BREAKING

3.1. Concept of Order Parameter

An order parameter quantitatively describes the degree of order in a system. For example, magnetization serves as the order parameter for ferromagnetic transitions, while polarization characterizes ferroelectric materials.

3.2. Spontaneous Symmetry Breaking

At the critical point, systems undergo spontaneous symmetry breaking, where a symmetric high-temperature phase transforms into a less symmetric ordered phase. This concept is central to both condensed matter physics and particle physics.

4. CRITICAL PHENOMENA AND UNIVERSALITY

4.1. Critical Exponents

Near the critical point, physical quantities follow power-law behavior characterized by critical exponents. Remarkably, these exponents depend only on system dimensionality and symmetry, not microscopic details.

4.2. Universality Classes

Systems with different microscopic interactions may belong to the same universality class if they share symmetry properties and dimensionality. The Ising, XY, and Heisenberg models exemplify different universality classes.

5. THEORETICAL MODELS

5.1. Ising Model

The Ising model describes interacting spins on a lattice and serves as a cornerstone for understanding magnetic phase transitions. Exact solutions in two dimensions have provided deep insights into critical behavior.

5.2. Renormalization Group Theory

Renormalization group (RG) theory explains universality and scaling behavior by systematically analyzing how physical systems behave at different length scales. RG theory

has become a unifying framework for critical phenomena (Wilson, 1974).

6. QUANTUM PHASE TRANSITIONS

Quantum phase transitions occur at absolute zero temperature and are driven by quantum fluctuations rather than thermal effects. These transitions play a crucial role in systems such as heavy-fermion compounds, quantum magnets, and ultracold atomic gases.

7. EXPERIMENTAL OBSERVATION OF CRITICAL PHENOMENA

7.1. Neutron and X-ray Scattering

Scattering techniques probe correlation lengths and critical fluctuations near phase transitions, providing direct experimental evidence of theoretical predictions.

7.2. Transport and Thermodynamic Measurements

Measurements of specific heat, susceptibility, and resistivity reveal critical behavior and scaling laws in real materials.

8. ENGINEERING APPLICATIONS

8.1. Phase-Change Materials

Materials exhibiting reversible phase transitions are used in non-volatile memory devices, enabling fast switching and high data density.

8.2. Smart and Functional Materials

Ferroelectrics, magnetocaloric materials, and shape-memory alloys rely on phase transitions for sensing, actuation, and energy applications.

9. CHALLENGES AND FUTURE DIRECTIONS

Despite extensive theoretical understanding, challenges remain in describing nonequilibrium phase transitions and strongly correlated systems. Advances in computational physics and machine learning offer promising tools for future research.

10. CONCLUSION

Phase transitions and critical phenomena provide deep insights into collective behavior in condensed matter systems. Their universal nature bridges theory and experiment while enabling diverse engineering applications. Continued interdisciplinary research will further expand their scientific and technological impact.

REFERENCES

1. Binder, K. (1987). Theory of first-order phase transitions. *Reports on Progress in Physics*, 50(7), 783–859.
2. Goldenfeld, N. (1992). Lectures on phase transitions and the renormalization group.

Addison-Wesley.

3. Kadanoff, L. P. (2009). More is the same; phase transitions and mean field theories. *Journal of Statistical Physics*, 137(5–6), 777–797.
4. Sachdev, S. (2011). *Quantum phase transitions* (2nd ed.). Cambridge University Press.
5. Stanley, H. E. (1971). *Introduction to phase transitions and critical phenomena*. Oxford University Press.
6. Wilson, K. G. (1974). The renormalization group and the ϵ expansion. *Physics Reports*, 12(2), 75–199.
7. Yeomans, J. M. (1992). *Statistical mechanics of phase transitions*. Oxford University Press.
8. Chaikin, P. M., & Lubensky, T. C. (1995). *Principles of condensed matter physics*. Cambridge University Press.
9. Fisher, M. E. (1974). The renormalization group in the theory of critical behavior. *Reviews of Modern Physics*, 46(4), 597–616.
10. Cardy, J. (1996). *Scaling and renormalization in statistical physics*. Cambridge University Press.